

NAG Fortran Library Routine Document

C06PXF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

C06PXF computes the three-dimensional discrete Fourier transform of a trivariate sequence of complex data values (using complex data type).

2 Specification

```
SUBROUTINE C06PXF(DIRECT, N1, N2, N3, X, WORK, IFAIL)
INTEGER          N1, N2, N3, IFAIL
complex        X(N1*N2*N3), WORK(N1*N2*N3+N1+N2+N3+45)
CHARACTER*1      DIRECT
```

3 Description

This routine computes the three-dimensional discrete Fourier transform of a trivariate sequence of complex data values $z_{j_1 j_2 j_3}$, where $j_1 = 0, 1, \dots, n_1 - 1$, $j_2 = 0, 1, \dots, n_2 - 1$ and $j_3 = 0, 1, \dots, n_3 - 1$.

The discrete Fourier transform is here defined by

$$\hat{z}_{k_1 k_2 k_3} = \frac{1}{\sqrt{n_1 n_2 n_3}} \sum_{j_1=0}^{n_1-1} \sum_{j_2=0}^{n_2-1} \sum_{j_3=0}^{n_3-1} z_{j_1 j_2 j_3} \times \exp\left(\pm 2\pi i \left(\frac{j_1 k_1}{n_1} + \frac{j_2 k_2}{n_2} + \frac{j_3 k_3}{n_3}\right)\right),$$

where $k_1 = 0, 1, \dots, n_1 - 1$, $k_2 = 0, 1, \dots, n_2 - 1$ and $k_3 = 0, 1, \dots, n_3 - 1$.

(Note the scale factor of $\frac{1}{\sqrt{n_1 n_2 n_3}}$ in this definition.) The minus sign is taken in the argument of the exponential within the summation when the forward transform is required, and the plus sign is taken when the backward transform is required. A call of the routine with DIRECT = 'F' followed by a call with DIRECT = 'B' will restore the original data.

This routine calls C06PRF to perform multiple one-dimensional discrete Fourier transforms by the fast Fourier transform (FFT) algorithm (Brigham (1974)).

4 References

Brigham E O (1974) *The Fast Fourier Transform* Prentice-Hall

Temperton C (1983b) Self-sorting mixed-radix fast Fourier transforms *J. Comput. Phys.* **52** 1–23

5 Parameters

1: DIRECT – CHARACTER*1 *Input*

On entry: if the **Forward** transform as defined in Section 3 is to be computed, then DIRECT must be set equal to 'F'. If the **Backward** transform is to be computed then DIRECT must be set equal to 'B'.

Constraint: DIRECT = 'F' or 'B'.

2: N1 – INTEGER *Input*

On entry: the first dimension of the transform, n_1 .

Constraint: $N1 \geq 1$.

- 3: N2 – INTEGER *Input*
On entry: the second dimension of the transform, n_2 .
Constraint: $N2 \geq 1$.
- 4: N3 – INTEGER *Input*
On entry: the third dimension of the transform, n_3 .
Constraint: $N3 \geq 1$.
- 5: X(N1*N2*N3) – **complex** array *Input/Output*
On entry: the complex data values. If X is regarded as a three-dimensional array of dimension $(0 : N1 - 1, 0 : N2 - 1, 0 : N3 - 1)$, then $X(j_1, j_2, j_3)$ must contain z_{j_1, j_2, j_3} .
On exit: the corresponding elements of the computed transform.
- 6: WORK(N1*N2*N3+N1+N2+N3+45) – **complex** array *Workspace*
On exit: the real part of WORK(1) contains the minimum workspace required for the current values of N1, N2 and N3 with this implementation.
- 7: IFAIL – INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. Users who are unfamiliar with this parameter should refer to Chapter P01 for details.
On exit: IFAIL = 0 unless the routine detects an error (see Section 6).
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, for users not familiar with this parameter the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, $N1 < 1$.

IFAIL = 2

On entry, $N2 < 1$.

IFAIL = 3

On entry, $N3 < 1$.

IFAIL = 4

IFAIL = 5

On entry, N1 has more than 30 prime factors.

IFAIL = 6

On entry, N2 has more than 30 prime factors.

IFAIL = 7

On entry, N3 has more than 30 prime factors.

IFAIL = 8

7 Accuracy

Some indication of accuracy can be obtained by performing a subsequent inverse transform and comparing the results with the original sequence (in exact arithmetic they would be identical).

8 Further Comments

The time taken by the routine is approximately proportional to $n_1 n_2 n_3 \times \log(n_1 n_2 n_3)$, but also depends on the factorization of the individual dimensions n_1 , n_2 and n_3 . The routine is somewhat faster than average if their only prime factors are 2, 3 or 5; and fastest of all if they are powers of 2.

9 Example

This program reads in a trivariate sequence of complex data values and prints the three-dimensional Fourier transform. It then performs an inverse transform and prints the sequence so obtained, which may be compared to the original data values.

9.1 Program Text

Note: the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      C06PXF Example Program Text.
*      Mark 19 Release. NAG Copyright 1999.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
      INTEGER          N1MAX, N2MAX, N3MAX, NMAX, LWORK
      PARAMETER        (N1MAX=16,N2MAX=16,N3MAX=16,
+                      NMAX=N1MAX*N2MAX*N3MAX,LWORK=N1MAX+N2MAX+N3MAX+
+                      NMAX+45)
*      .. Local Scalars ..
      INTEGER          IFAIL, N, N1, N2, N3
*      .. Local Arrays ..
      complex          WORK(LWORK), X(NMAX)
*      .. External Subroutines ..
      EXTERNAL         C06PXF, READX, WRITX
*      .. Executable Statements ..
      WRITE (NOUT,*) 'C06PXF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
20  CONTINUE
      READ (NIN,*,END=40) N1, N2, N3
      N = N1*N2*N3
      IF (N.GE.1 .AND. N.LE.NMAX) THEN
          CALL READX(NIN,X,N1,N2,N3)
          WRITE (NOUT,*)
          WRITE (NOUT,*) 'Original data values'
          CALL WRITX(NOUT,X,N1,N2,N3)
          IFAIL = 0
*
*      Compute transform
          CALL C06PXF('F',N1,N2,N3,X,WORK,IFAIL)
*
          WRITE (NOUT,*)
          WRITE (NOUT,*) 'Components of discrete Fourier transform'
          CALL WRITX(NOUT,X,N1,N2,N3)
*
*      Compute inverse transform
```

```

      CALL C06PXF('B',N1,N2,N3,X,WORK,IFAIL)
*
      WRITE (NOUT,*)
      WRITE (NOUT,*)
+      'Original sequence as restored by inverse transform'
      CALL WRITX(NOUT,X,N1,N2,N3)
      GO TO 20
    ELSE
      WRITE (NOUT,*) ' ** Invalid value of N1, N2 or N3'
    END IF
40  CONTINUE
    STOP
    END
*
    SUBROUTINE READX(NIN,X,N1,N2,N3)
*    Read 3-dimensional complex data
*    .. Scalar Arguments ..
    INTEGER      N1, N2, N3, NIN
*    .. Array Arguments ..
complex        X(N1,N2,N3)
*    .. Local Scalars ..
    INTEGER      I, J, K
*    .. Executable Statements ..
    DO 40 I = 1, N1
      DO 20 J = 1, N2
        READ (NIN,*) (X(I,J,K),K=1,N3)
20    CONTINUE
40  CONTINUE
    RETURN
    END
*
    SUBROUTINE WRITX(NOUT,X,N1,N2,N3)
*    Print 3-dimensional complex data
*    .. Scalar Arguments ..
    INTEGER      N1, N2, N3, NOUT
*    .. Array Arguments ..
complex        X(N1,N2,N3)
*    .. Local Scalars ..
    INTEGER      I, J, K
*    .. Intrinsic Functions ..
    INTRINSIC    real, imag
*    .. Executable Statements ..
    DO 40 I = 1, N1
      WRITE (NOUT,*)
      WRITE (NOUT,99998) 'z(i,j,k) for i =', I
      DO 20 J = 1, N2
        WRITE (NOUT,*)
        WRITE (NOUT,99999) 'Real ', (real(X(I,J,K)),K=1,N3)
        WRITE (NOUT,99999) 'Imag ', (imag(X(I,J,K)),K=1,N3)
20    CONTINUE
40  CONTINUE
    RETURN
*
99999 FORMAT (1X,A,7F10.3,/(6X,7F10.3))
99998 FORMAT (1X,A,I6)
    END

```

9.2 Program Data

C06PXF Example Program Data

2 3 4 : values of N1, N2, N3

```
( 1.000, 0.000) ( 0.999,-0.040) ( 0.987,-0.159) ( 0.936,-0.352)
( 0.994,-0.111) ( 0.989,-0.151) ( 0.963,-0.268) ( 0.891,-0.454)
( 0.903,-0.430) ( 0.885,-0.466) ( 0.823,-0.568) ( 0.694,-0.720)
( 0.500, 0.500) ( 0.499, 0.040) ( 0.487, 0.159) ( 0.436, 0.352)
( 0.494, 0.111) ( 0.489, 0.151) ( 0.463, 0.268) ( 0.391, 0.454)
( 0.403, 0.430) ( 0.385, 0.466) ( 0.323, 0.568) ( 0.194, 0.720)
```

9.3 Program Results

C06PXF Example Program Results

Original data values

z(i,j,k) for i = 1

Real	1.000	0.999	0.987	0.936
Imag	0.000	-0.040	-0.159	-0.352

Real	0.994	0.989	0.963	0.891
Imag	-0.111	-0.151	-0.268	-0.454

Real	0.903	0.885	0.823	0.694
Imag	-0.430	-0.466	-0.568	-0.720

z(i,j,k) for i = 2

Real	0.500	0.499	0.487	0.436
Imag	0.500	0.040	0.159	0.352

Real	0.494	0.489	0.463	0.391
Imag	0.111	0.151	0.268	0.454

Real	0.403	0.385	0.323	0.194
Imag	0.430	0.466	0.568	0.720

Components of discrete Fourier transform

z(i,j,k) for i = 1

Real	3.292	0.051	0.113	0.051
Imag	0.102	-0.042	0.102	0.246

Real	0.143	0.016	-0.024	-0.050
Imag	-0.086	0.153	0.127	0.086

Real	0.143	-0.050	-0.024	0.016
Imag	0.290	0.118	0.077	0.051

z(i,j,k) for i = 2

Real	1.225	0.355	0.000	-0.355
Imag	-1.620	0.083	0.162	0.083

Real	0.424	0.020	0.013	-0.007
Imag	0.320	-0.115	-0.091	-0.080

Real	-0.424	0.007	-0.013	-0.020
Imag	0.320	-0.080	-0.091	-0.115

Original sequence as restored by inverse transform

z(i,j,k) for i = 1

Real	1.000	0.999	0.987	0.936
Imag	-0.000	-0.040	-0.159	-0.352

Real	0.994	0.989	0.963	0.891
Imag	-0.111	-0.151	-0.268	-0.454

Real	0.903	0.885	0.823	0.694
Imag	-0.430	-0.466	-0.568	-0.720

z(i,j,k) for i = 2

Real	0.500	0.499	0.487	0.436
Imag	0.500	0.040	0.159	0.352

Real	0.494	0.489	0.463	0.391
Imag	0.111	0.151	0.268	0.454

Real	0.403	0.385	0.323	0.194
Imag	0.430	0.466	0.568	0.720
