

NAG Fortran Library Routine Document

F04AEF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F04AEF calculates the accurate solution of a set of real linear equations with multiple right-hand sides using an *LU* factorization with partial pivoting, and iterative refinement.

2 Specification

```

SUBROUTINE F04AEF(A, IA, B, IB, N, M, C, IC, WKSPCE, AA, IAA, BB, IBB,
1          IFAIL)
    INTEGER          IA, IB, N, M, IC, IAA, IBB, IFAIL
real              A(IA,*), B(IB,*), C(IC,*), WKSPCE(*), AA(IAA,*),
1          BB(IBB,*)

```

3 Description

Given a set of real linear equations $AX = B$, the routine first computes an *LU* factorization of A with partial pivoting, $PA = LU$, where P is a permutation matrix, L is lower triangular and U is unit upper triangular. An approximation to X is found by forward and backward substitution. The residual matrix $R = B - AX$ is then calculated using ***additional precision***, and a correction D to X is found by solving $LUD = PR$. X is replaced by $X + D$ and this iterative refinement of the solution is repeated until full machine accuracy has been obtained.

4 References

Wilkinson J H and Reinsch C (1971) *Handbook for Automatic Computation II, Linear Algebra* Springer-Verlag

5 Parameters

- 1: $A(IA,*)$ – ***real*** array *Input*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the n by n matrix A .
- 2: IA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F04AEF is called.
Constraint: $IA \geq \max(1, N)$.
- 3: $B(IB,*)$ – ***real*** array *Input*
Note: the second dimension of the array B must be at least $\max(1, M)$.
On entry: the n by m right-hand side matrix B .
- 4: IB – INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F04AEF is called.
Constraint: $IB \geq \max(1, N)$.

- 5: N – INTEGER *Input*
On entry: n , the order of the matrix A .
Constraint: $N \geq 0$.
- 6: M – INTEGER *Input*
On entry: m , the number of right-hand sides.
Constraint: $M \geq 0$.
- 7: C(IC,*) – **real** array *Output*
Note: the second dimension of the array C must be at least $\max(1, M)$.
On exit: the n by m solution matrix X .
- 8: IC – INTEGER *Input*
On entry: the first dimension of the array C as declared in the (sub)program from which F04AEF is called.
Constraint: $IC \geq \max(1, N)$.
- 9: WKSPCE(*) – **real** array *Workspace*
Note: the dimension of the array WKSPCE must be at least $\max(1, N)$.
- 10: AA(IAA,*) – **real** array *Output*
Note: the second dimension of the array AA must be at least $\max(1, N)$.
On exit: the triangular factors L and U , except that the unit diagonal elements of U are not stored.
- 11: IAA – INTEGER *Input*
On entry: the first dimension of the array AA as declared in the (sub)program from which F04AEF is called.
Constraint: $IAA \geq \max(1, N)$.
- 12: BB(IBB,*) – **real** array *Output*
Note: the second dimension of the array BB must be at least $\max(1, M)$.
On exit: the final n by m residual matrix $R = B - AX$.
- 13: IBB – INTEGER *Input*
On entry: the first dimension of the array BB as declared in the (sub)program from which F04AEF is called.
Constraint: $IBB \geq \max(1, N)$.
- 14: IFAIL – INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. Users who are unfamiliar with this parameter should refer to Chapter P01 for details.
On exit: $IFAIL = 0$ unless the routine detects an error (see Section 6).
For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, for users not familiar with this parameter the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry $IFAIL = 0$ or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

$IFAIL = 1$

The matrix A is singular, possibly due to rounding errors.

$IFAIL = 2$

Iterative refinement fails to improve the solution, i.e., the matrix A is too ill-conditioned.

$IFAIL = 3$

On entry, $N < 0$,
 or $M < 0$,
 or $IA < \max(1, N)$,
 or $IB < \max(1, N)$,
 or $IC < \max(1, N)$,
 or $IAA < \max(1, N)$,
 or $IBB < \max(1, N)$.

7 Accuracy

The computed solutions should be correct to full machine accuracy. For a detailed error analysis see page 107 of Wilkinson and Reinsch (1971).

8 Further Comments

The time taken by the routine is approximately proportional to n^3 .

If there is only one right-hand side, it is simpler to use F04ATF.

9 Example

To solve the set of linear equations $AX = B$ where

$$A = \begin{pmatrix} 33 & 16 & 72 \\ -24 & -10 & -57 \\ -8 & -4 & -17 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} -359 \\ 281 \\ 85 \end{pmatrix}.$$

9.1 Program Text

Note: the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      F04AEF Example Program Text
*      Mark 15 Revised.  NAG Copyright 1991.
*      .. Parameters ..
      INTEGER          NMAX, IA, IB, IC, IAA, IBB
      PARAMETER        (NMAX=8, IA=NMAX, IB=NMAX, IC=NMAX, IAA=NMAX,
+                      IBB=NMAX)
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5, NOUT=6)
*      .. Local Scalars ..
      INTEGER          I, IFAIL, J, M, N
*      .. Local Arrays ..
      real             A(IA,NMAX), AA(IAA,NMAX), B(IB,1), BB(IBB,1),
+                      C(IC,1), WKSPACE(NMAX)
*      .. External Subroutines ..
```

```

      EXTERNAL          F04AEF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F04AEF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N
      WRITE (NOUT,*)
      M = 1
      IF (N.GE.0 .AND. N.LE.NMAX) THEN
        READ (NIN,*) ((A(I,J),J=1,N),I=1,N), (B(I,1),I=1,N)
        IFAIL = 0
*
        CALL F04AEF(A,IA,B,IB,N,M,C,IC,WKSPCE,AA,IAA,BB,IBB,IFAIL)
*
        WRITE (NOUT,*) ' Solution'
        WRITE (NOUT,99998) (C(I,1),I=1,N)
      ELSE
        WRITE (NOUT,99999) 'N is out of range: N = ', N
      END IF
      STOP
*
99999 FORMAT (1X,A,I5)
99998 FORMAT (1X,F9.4)
      END

```

9.2 Program Data

F04AEF Example Program Data

```

3
 33   16   72
-24  -10  -57
 -8   -4  -17
-359 281   85

```

9.3 Program Results

F04AEF Example Program Results

```

Solution
 1.0000
-2.0000
-5.0000

```
