

NAG Fortran Library Routine Document

F04AHF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F04AHF calculates the accurate solution of a set of real linear equations with multiple right-hand sides, $AX = B$, with iterative refinement, where A has been factorized by F03AFF.

2 Specification

```

SUBROUTINE F04AHF(N, IR, A, IA, AA, IAA, P, B, IB, EPS, X, IX, BB, IBB,
1      K, IFAIL)
  INTEGER      N, IR, IA, IAA, IB, IX, IBB, K, IFAIL
  real        A(IA,N), AA(IAA,N), P(N), B(IB,IR), EPS, X(IX,IR),
1      BB(IBB,IR)
```

3 Description

To solve a set of real linear equations $AX = B$, the routine must be preceded by a call to F03AFF which computes an LU factorization of A with partial pivoting, $PA = LU$, where P is a permutation matrix, L is lower triangular and U is unit upper triangular. An approximation to X is found by forward and backward substitution. The residual matrix $R = B - AX$ is then calculated using ***additional precision***, and a correction D to X is found by solving $LUD = PR$. X is replaced by $X + D$, and this iterative refinement of the solution is repeated until full machine accuracy has been obtained.

4 References

Wilkinson J H and Reinsch C (1971) *Handbook for Automatic Computation II, Linear Algebra* Springer-Verlag

5 Parameters

- | | | |
|----|--|--------------|
| 1: | N – INTEGER | <i>Input</i> |
| | <i>On entry:</i> n , the order of the matrix A . | |
| 2: | IR – INTEGER | <i>Input</i> |
| | <i>On entry:</i> r , the number of right-hand sides. | |
| 3: | A(IA,N) – <i>real</i> array | <i>Input</i> |
| | <i>On entry:</i> the n by n matrix A . | |
| 4: | IA – INTEGER | <i>Input</i> |
| | <i>On entry:</i> the first dimension of the array A as declared in the (sub)program from which F04AHF is called. | |
| | <i>Constraint:</i> $IA \geq N$. | |
| 5: | AA(IAA,N) – <i>real</i> array | <i>Input</i> |
| | <i>On entry:</i> details of the LU factorization, as returned by F03AFF. | |

- 6: IAA – INTEGER Input
On entry: the first dimension of the array AA as declared in the (sub)program from which F04AHF is called.
Constraint: $IAA \geq N$.
- 7: P(N) – *real* array Input
On entry: details of the row interchanges as returned by F03AFF.
- 8: B(IB,IR) – *real* array Input
On entry: the n by r right-hand side matrix B .
- 9: IB – INTEGER Input
On entry: the first dimension of the array B as declared in the (sub)program from which F04AHF is called.
Constraint: $IB \geq N$.
- 10: EPS – *real* Input
On entry: EPS must be set to the value of the *machine precision*.
- 11: X(IX,IR) – *real* array Output
On exit: the n by r solution matrix X .
- 12: IX – INTEGER Input
On entry: the first dimension of the array X as declared in the (sub)program from which F04AHF is called.
Constraint: $IX \geq N$.
- 13: BB(IBM,IR) – *real* array Output
On exit: the n by r final residual matrix $R = B - AX$.
- 14: IBM – INTEGER Input
On entry: the first dimension of the array BB as declared in the (sub)program from which F04AHF is called.
Constraint: $IBM \geq N$.
- 15: K – INTEGER Output
On exit: the number of iterations needed in the refinement process.
- 16: IFAIL – INTEGER Input/Output
On entry: IFAIL must be set to 0, -1 or 1. Users who are unfamiliar with this parameter should refer to Chapter P01 for details.
On exit: $IFAIL = 0$ unless the routine detects an error (see Section 6).
For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, for users not familiar with this parameter the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry $IFAIL = 0$ or -1 , explanatory error messages are output on the current error message unit (as defined by $X04AAF$).

Errors or warnings detected by the routine:

$IFAIL = 1$

The matrix A is too ill-conditioned to produce a correctly rounded solution.

7 Accuracy

The computed solutions should be correct to full machine accuracy. For a detailed error analysis see page 106 of Wilkinson and Reinsch (1971).

8 Further Comments

The time taken by the routine is approximately proportional to n^2r .

9 Example

To solve the set of linear equations $AX = B$ where

$$A = \begin{pmatrix} 33 & 16 & 72 \\ -24 & -10 & -57 \\ -8 & -4 & -17 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} -359 \\ 281 \\ 85 \end{pmatrix}.$$

9.1 Program Text

Note: the listing of the example program presented below uses ***bold italicised*** terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      F04AHF Example Program Text
*      Mark 14 Revised.  NAG Copyright 1989.
*      .. Parameters ..
      INTEGER          NMAX, IR, IAA, IA, IB, IX, IBB
      PARAMETER        (NMAX=8, IR=1, IAA=NMAX, IA=NMAX, IB=NMAX, IX=NMAX,
+                      IBB=NMAX)
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5, NOUT=6)
*      .. Local Scalars ..
      real             D1, EPS
      INTEGER          I, ID, IFAIL, J, K, N
*      .. Local Arrays ..
      real             A(IA,NMAX), AA(IAA,NMAX), B(IB,IR), BB(IBB,IR),
+                      P(NMAX), X(IX,IR)
*      .. External Functions ..
      real             X02AJF
      EXTERNAL          X02AJF
*      .. External Subroutines ..
      EXTERNAL          F03AFF, F04AHF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F04AHF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N
      WRITE (NOUT,*)
      IF (N.GT.0 .AND. N.LE.NMAX) THEN
         READ (NIN,*) ((AA(I,J), J=1,N), I=1,N)
         DO 40 I = 1, N
            DO 20 J = 1, N
               A(J,I) = AA(J,I)
            20          CONTINUE
         40          CONTINUE
```

```

      EPS = X02AJF()
      IFAIL = 1
*
*      Crout decomposition
      CALL F03AFF(N,EPS,AA,IAA,D1,ID,P,IFAIL)
*
      IF (IFAIL.NE.0) THEN
        WRITE (NOUT,99998) 'Error in F03AFF. IFAIL =', IFAIL
      ELSE
        READ (NIN,*) ((B(I,J),J=1,IR),I=1,N)
        IFAIL = 1
*
*      Accurate solution of linear equations
      CALL F04AHF(N,IR,A,IA,AA,IAA,P,B,IB,EPS,X,IX,BB,IBB,K,IFAIL)
*
      IF (IFAIL.NE.0) THEN
        WRITE (NOUT,99998) 'Error in F04AHF. IFAIL =', IFAIL
      ELSE
        WRITE (NOUT,*) ' Solution'
        DO 60 I = 1, N
          WRITE (NOUT,99999) (X(I,J),J=1,IR)
60      CONTINUE
        END IF
      END IF
    ELSE
      WRITE (NOUT,99998) 'N is out of range: N = ', N
    END IF
    STOP
*
99999 FORMAT (1X,8F9.4)
99998 FORMAT (1X,A,I5)
END

```

9.2 Program Data

F04AHF Example Program Data

3		
33	16	72
-24	-10	-57
-8	-4	-17
-359	281	85

9.3 Program Results

F04AHF Example Program Results

Solution
 1.0000
 -2.0000
 -5.0000
