

NAG Fortran Library Routine Document

F06SFF (ZTRMV)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F06SFF (ZTRMV) performs one of the matrix-vector operations

$$x \leftarrow Ax, \quad x \leftarrow A^T x \quad \text{or} \quad x \leftarrow A^H x,$$

where A is an n by n complex triangular matrix, and x is an n element complex vector.

2 Specification

```
SUBROUTINE F06SFF (UPLO, TRANS, DIAG, N, A, LDA, X, INCX)
INTEGER N, LDA, INCX
complex*16 A(LDA,*), X(*)
CHARACTER*1 UPLO, TRANS, DIAG
```

The routine may be called by its BLAS name ***ztrmv***.

3 Description

None.

4 References

None.

5 Parameters

1: UPLO – CHARACTER*1 *Input*

On entry: specifies whether A is upper or lower triangular as follows:

if UPLO = 'U', A is upper triangular;
if UPLO = 'L', A is lower triangular.

Constraint: UPLO = 'U' or 'L'.

2: TRANS – CHARACTER*1 *Input*

On entry: specifies the operation to be performed as follows:

if TRANS = 'N', $x \leftarrow Ax$;
if TRANS = 'T', $x \leftarrow A^T x$;
if TRANS = 'C', $x \leftarrow A^H x$.

Constraint: TRANS = 'N', 'T' or 'C'.

3: DIAG – CHARACTER*1 *Input*

On entry: specifies whether A has non-unit or unit diagonal elements, as follows:

if DIAG = 'N', the diagonal elements are stored explicitly;
if DIAG = 'U', the diagonal elements are assumed to be 1, and are not referenced.

Constraint: DIAG = 'N' or 'U'.

4:	N – INTEGER	<i>Input</i>
	<i>On entry:</i> n , the order of the matrix A .	
	<i>Constraint:</i> $N \geq 0$.	
5:	A(LDA,*) – complex*16 array	<i>Input</i>
	Note: the second dimension of the array A must be at least $\max(1, N)$.	
	<i>On entry:</i> the n by n triangular matrix A . If UPLO = 'U', A is upper triangular and the elements of the array below the diagonal are not referenced; if UPLO = 'L', A is lower triangular and the elements of the array above the diagonal are not referenced. If DIAG = 'U', the diagonal elements of A are not referenced, but are assumed to be 1.	
6:	LDA – INTEGER	<i>Input</i>
	<i>On entry:</i> the first dimension of the array A as declared in the (sub)program from which F06SFF (ZTRMV) is called.	
	<i>Constraint:</i> $LDA \geq \max(1, N)$.	
7:	X(*) – complex*16 array	<i>Input/Output</i>
	<i>On entry:</i> the vector x .	
	<i>On exit:</i> the updated vector x .	
8:	INCX – INTEGER	<i>Input</i>
	<i>On entry:</i> the increment in the subscripts of X between successive elements of x .	
	<i>Constraint:</i> $INCX \neq 0$.	

6 Error Indicators and Warnings

None.
