

NAG Fortran Library Routine Document

F06TFF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F06TFF performs the matrix-copy operation

$$B \leftarrow A$$

where A and B are m by n complex general or trapezoidal matrices.

2 Specification

SUBROUTINE F06TFF (MATRIX, M, N, A, LDA, B, LDB)

INTEGER M, N, LDA, LDB

complex*16 A(LDA,*), B(LDB,*)

CHARACTER*1 MATRIX

3 Description

None.

4 References

None.

5 Parameters

- | | | |
|----|---|--------------|
| 1: | MATRIX – CHARACTER*1 | <i>Input</i> |
| | <i>On entry:</i> the matrix type: | |
| | if MATRIX = 'G', general matrix; | |
| | if MATRIX = 'U', upper trapezoidal matrix (upper triangular if $m = n$); | |
| | if MATRIX = 'L', lower trapezoidal matrix (lower triangular if $m = n$). | |
| | <i>Constraint:</i> MATRIX = 'G', 'U' or 'L'. | |
| 2: | M – INTEGER | <i>Input</i> |
| | <i>On entry:</i> m , the number of rows of the matrices A and B . | |
| | <i>Constraint:</i> $M \geq 0$. | |
| 3: | N – INTEGER | <i>Input</i> |
| | <i>On entry:</i> n , the number of columns of the matrices A and B . | |
| | <i>Constraint:</i> $N \geq 0$. | |
| 4: | A(LDA,*) – complex*16 array | <i>Input</i> |
| | Note: the second dimension of the array A must be at least $\max(1, N)$. | |
| | <i>On entry:</i> the m by n general or trapezoidal matrix A . If MATRIX = 'U', A is upper trapezoidal and the elements of the array below the diagonal are not referenced; if MATRIX = 'L', A is lower trapezoidal and the elements of the array above the diagonal are not referenced. | |

- 5: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F06TFF is called.
Constraint: $LDA \geq \max(1, M)$.
- 6: B(LDB,*) – **complex*16** array *Output*
Note: the second dimension of the array B must be at least $\max(1, N)$.
On exit: the m by n general or trapezoidal matrix B . If MATRIX = 'U', B is upper trapezoidal and the elements of the array below the diagonal are not referenced; if MATRIX = 'L', B is lower trapezoidal and the elements of the array above the diagonal are not referenced.
- 7: LDB – INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F06TFF is called.
Constraint: $LDB \geq \max(1, M)$.

6 Error Indicators and Warnings

None.
