

NAG Fortran Library Routine Document

G08CGF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

G08CGF computes the test statistic for the χ^2 goodness-of-fit test for data with a chosen number of class intervals.

2 Specification

```

SUBROUTINE G08CGF(NCLASS, IFREQ, CINT, DIST, PAR, NPEST, PROB, CHISQ, P,
1 NDF, EVAL, CHISQI, IFAIL)
  INTEGER      NCLASS, IFREQ(NCLASS), NPEST, NDF, IFAIL
  real        CINT(NCLASS-1), PAR(2), PROB(NCLASS), CHISQ, P,
1 EVAL(NCLASS), CHISQI(NCLASS)
  CHARACTER*1  DIST

```

3 Description

The χ^2 goodness-of-fit test performed by G08CGF is used to test the null hypothesis that a random sample arises from a specified distribution against the alternative hypothesis that the sample does not arise from the specified distribution.

Given a sample of size n , denoted by x_1, x_2, \dots, x_n , drawn from a random variable X , and that the data has been grouped into k classes,

$$x \leq c_1,$$

$$c_{i-1} < x \leq c_i, \quad i = 2, 3, \dots, k-1,$$

$$x > c_{k-1},$$

then the χ^2 goodness-of-fit test statistic is defined by

$$X^2 = \sum_{i=1}^k \frac{(O_i - E_i)^2}{E_i},$$

where O_i is the observed frequency of the i th class, and E_i is the expected frequency of the i th class.

The expected frequencies are computed as

$$E_i = p_i \times n,$$

where p_i is the probability that X lies in the i th class, that is

$$p_1 = P(X \leq c_1),$$

$$p_i = P(c_{i-1} < X \leq c_i), \quad i = 2, 3, \dots, k-1,$$

$$p_k = P(X > c_{k-1}).$$

These probabilities are either taken from a common probability distribution or are supplied by the user. The available probability distributions within this routine are:

Normal distribution with mean μ , variance σ^2 ;

uniform distribution on the interval $[a, b]$;

exponential distribution with probability density function (pdf) $= \lambda e^{-\lambda x}$;

χ^2 distribution with f degrees of freedom; and

$$\text{gamma distribution with pdf} = \frac{x^{\alpha-1} e^{-x/\beta}}{\Gamma(\alpha)\beta^\alpha}.$$

The user must supply the frequencies and classes. Given a set of data and classes the frequencies may be calculated using G01AEF.

G08CGF returns the χ^2 test statistic, X^2 , together with its degrees of freedom and the upper tail probability from the χ^2 distribution associated with the test statistic. Note that the use of the χ^2 distribution as an approximation to the distribution of the test statistic improves as the expected values in each class increase.

4 References

Conover W J (1980) *Practical Nonparametric Statistics* Wiley

Kendall M G and Stuart A (1973) *The Advanced Theory of Statistics (Volume 2)* (3rd Edition) Griffin

Siegel S (1956) *Nonparametric Statistics for the Behavioral Sciences* McGraw-Hill

5 Parameters

- 1: NCLASS – INTEGER *Input*
On entry: the number of classes, k , into which the data is divided.
Constraint: NCLASS ≥ 2 .
- 2: IFREQ(NCLASS) – INTEGER array *Input*
On entry: IFREQ(i) must specify the frequency of the i th class, O_i , for $i = 1, 2, \dots, k$.
Constraint: IFREQ(i) ≥ 0 , for $i = 1, 2, \dots, k$.
- 3: CINT(NCLASS–1) – *real* array *Input*
On entry: CINT(i) must specify the upper boundary value for the i th class, for $i = 1, 2, \dots, k - 1$.
Constraint: CINT(1) < CINT(2) < ... < CINT(NCLASS – 1). For the exponential, gamma and χ^2 distributions CINT(1) ≥ 0.0 .
- 4: DIST – CHARACTER*1 *Input*
On entry: indicates for which distribution the test is to be carried out.
 If DIST = 'N', the Normal distribution is used.
 If DIST = 'U', the uniform distribution is used.
 If DIST = 'E', the exponential distribution is used.
 If DIST = 'C', the χ^2 distribution is used.
 If DIST = 'G', the gamma distribution is used.
 If DIST = 'A', the user must supply the class probabilities in the array PROB.
Constraint: DIST = 'N', 'U', 'E', 'C', 'G' or 'A'.
- 5: PAR(2) – *real* array *Input*
On entry: PAR must contain the parameters of the distribution which is being tested. If the user supplies the probabilities (that is, DIST='A') the array PAR is not referenced.
 If a Normal distribution is used then PAR(1) and PAR(2) must contain the mean, μ , and the variance, σ^2 , respectively.
 If a uniform distribution is used then PAR(1) and PAR(2) must contain the boundaries a and b respectively.

If an exponential distribution is used then PAR(1) must contain the parameter λ . PAR(2) is not used.

If a χ^2 distribution is used then PAR(1) must contain the number of degrees of freedom. PAR(2) is not used.

If a gamma distribution is used PAR(1) and PAR(2) must contain the parameters α and β respectively.

Constraints:

if DIST = 'N', PAR(2) > 0.0,
 if DIST = 'U', PAR(1) < PAR(2), PAR(1) ≤ CINT(1), PAR(2) ≥ CINT(NCLASS – 1),
 if DIST = 'E', PAR(1) > 0.0,
 if DIST = 'C', PAR(1) > 0.0,
 if DIST = 'G', PAR(1), PAR(2) > 0.0.

6: NPEST – INTEGER *Input*

On entry: the number of estimated parameters of the distribution.

Constraint: $0 \leq \text{NPEST} < \text{NCLASS} - 1$.

7: PROB(NCLASS) – *real* array *Input*

On entry: if the user is supplying the probability distribution (that is, DIST = 'A') then PROB(*i*) must contain the probability that *X* lies in the *i*th class.

If DIST ≠ 'A', PROB is not referenced.

Constraints: if DIST = 'A' then PROB(*i*) > 0.0, for $i = 1, 2, \dots, k$, and $\sum_{i=1}^k \text{PROB}(i) = 1.0$.

8: CHISQ – *real* *Output*

On exit: the test statistic, X^2 , for the χ^2 goodness-of-fit test.

9: P – *real* *Output*

On exit: the upper tail probability from the χ^2 distribution associated with the test statistic, X^2 , and the number of degrees of freedom.

10: NDF – INTEGER *Output*

On exit: contains (NCLASS – 1 – NPEST), the degrees of freedom associated with the test.

11: EVAL(NCLASS) – *real* array *Output*

On exit: EVAL(*i*) contains the expected frequency for the *i*th class, E_i , for $i = 1, 2, \dots, k$.

12: CHISQI(NCLASS) – *real* array *Output*

On exit: CHISQI(*i*) contains the contribution from the *i*th class to the test statistic, that is, $(O_i - E_i)^2 / E_i$, for $i = 1, 2, \dots, k$.

13: IFAIL – INTEGER *Input/Output*

On entry: IFAIL must be set to 0, –1 or 1. Users who are unfamiliar with this parameter should refer to Chapter P01 for details.

On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

For environments where it might be inappropriate to halt program execution when an error is detected, the value –1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, because for this routine the values of the output parameters

may be useful even if IFAIL \neq 0 on exit, the recommended value is -1 . **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, NCLASS < 2.

IFAIL = 2

On entry, DIST is invalid.

IFAIL = 3

On entry, NPEST < 0,
or NPEST \geq NCLASS $- 1$.

IFAIL = 4

On entry, IFREQ(i) < 0.0 for some i , for $i = 1, 2, \dots, k$.

IFAIL = 5

On entry, the elements of CINT are not in ascending order. That is, CINT(i) \leq CINT($i - 1$) for some i , for $i = 2, 3, \dots, k - 1$.

IFAIL = 6

On entry, DIST = 'E', 'C' or 'G' and CINT(1) < 0.0. No negative class boundary values are valid for the exponential, gamma or χ^2 distributions.

IFAIL = 7

On entry, the values provided in PAR are invalid.

IFAIL = 8

On entry, with DIST = 'A', PROB(i) \leq 0.0 for some i , for $i = 1, 2, \dots, k$,
or $\sum_{i=1}^k \text{PROB}(i) \neq 1.0$.

IFAIL = 9

An expected frequency is equal to zero when the observed frequency was not.

IFAIL = 10

This is a warning that expected values for certain classes are less than 1.0. This implies that we cannot be confident that the χ^2 distribution is a good approximation to the distribution of the test statistic.

IFAIL = 11

The solution obtained when calculating the probability for a certain class for the gamma or χ^2 distribution did not converge in 600 iterations. The solution may be an adequate approximation.

7 Accuracy

The computations are believed to be stable.

8 Further Comments

The time taken by the routine is dependent both on the distribution chosen and on the number of classes, k .

9 Example

The example program applies the χ^2 goodness-of-fit test to test whether there is evidence to suggest that a sample of 100 observations generated by G05DAF do not arise from a uniform distribution $U(0,1)$. The class intervals are calculated such that the interval (0,1) is divided into 5 equal classes. The frequencies for each class are calculated using G01AEF.

9.1 Program Text

Note: the listing of the example program presented below uses ***bold italicised*** terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      G08CGF Example Program Text
*      Mark 20 Revised. NAG Copyright 2001.
*      Mark 20 Revised. To call thread-safe G05 routines.
*      .. Parameters ..
      INTEGER          NIN, NOUT, NMAX, NCLMAX
      PARAMETER        (NIN=5,NOUT=6,NMAX=100,NCLMAX=10)
*      .. Local Scalars ..
      real             CHISQ, P, XMAX, XMIN
      INTEGER          I, ICLASS, IFAIL, IGEN, N, NCLASS, NDF, NPEST
      CHARACTER        CDIST
*      .. Local Arrays ..
      real             CHISQI(NCLMAX), CINT(NCLMAX), EVAL(NCLMAX),
+                    PAR(2), PROB(NCLMAX), X(NMAX)
      INTEGER          IFREQ(NCLMAX), ISEED(4)
*      .. External Subroutines ..
      EXTERNAL         G01AEF, G05KBF, G05LGF, G08CGF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'G08CGF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N, NCLASS, CDIST
      READ (NIN,*) (PAR(I),I=1,2)
      NPEST = 0

*
*      Generate random numbers from a uniform distribution
*
      IGEN = 0
      ISEED(1) = 0
      CALL G05KBF(IGEN,ISEED)
      IFAIL = 0
      CALL G05LGF(PAR(1),PAR(2),N,X,IGEN,ISEED,IFAIL)
      ICLASS = 0

*
*      Determine suitable intervals
      IF (CDIST.EQ.'U' .OR. CDIST.EQ.'u') THEN
        ICLASS = 1
        CINT(1) = PAR(1) + (PAR(2)-PAR(1))/NCLASS
        DO 20 I = 2, NCLASS - 1
          CINT(I) = CINT(I-1) + (PAR(2)-PAR(1))/NCLASS
20      CONTINUE
      END IF
      IFAIL = 0

*
      CALL G01AEF(N,NCLASS,X,ICLASS,CINT,IFREQ,XMIN,XMAX,IFAIL)
*
```

```

      IFAIL = 0
*
      CALL G08CGF(NCLASS,IFREQ,CINT,CDIST,PAR,NPEST,PROB,CHISQ,P,NDF,
+              EVAL,CHISQI,IFAIL)
*
      IF (IFAIL.NE.0) WRITE (NOUT,99999) '** IFAIL = ', IFAIL
      WRITE (NOUT,*)
      WRITE (NOUT,99998) 'Chi-squared test statistic    = ', CHISQ
      WRITE (NOUT,99997) 'Degrees of freedom.          = ', NDF
      WRITE (NOUT,99998) 'Significance level            = ', P
      WRITE (NOUT,*)
      WRITE (NOUT,*) 'The contributions to the test statistic are :-'
      DO 40 I = 1, NCLASS
         WRITE (NOUT,99996) CHISQI(I)
40 CONTINUE
      STOP
*
99999 FORMAT (1X,A,I2)
99998 FORMAT (1X,A,F10.4)
99997 FORMAT (1X,A,I5)
99996 FORMAT (1X,F10.4)
      END

```

9.2 Program Data

G08CGF Example Program Data.
 100 5 'U' :N K2 CDIST
 0.0 1.0 :PAR(1) PAR(2)

9.3 Program Results

G08CGF Example Program Results

Chi-squared test statistic	=	3.3000
Degrees of freedom.	=	4
Significance level	=	0.5089

The contributions to the test statistic are :-

```

1.8000
0.8000
0.2000
0.0500
0.4500

```
