NAG Fortran Library Routine Document G01RTF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of **bold italicised** terms and other implementation-dependent details.

1 Purpose

G01RTF returns the value of the derivative $\phi'(\lambda)$ of the Landau density function, via the routine name.

2 Specification

3 Description

G01RTF evaluates an approximation to the derivative $\phi'(\lambda)$ of the Landau density function given by

$$\phi'(\lambda) = \frac{d\phi(\lambda)}{d\lambda},$$

where $\phi(\lambda)$ is described in G01MTF, using piecewise approximation by rational functions. Further details can be found in Kölbig and Schorr (1984).

To obtain the value of $\phi(\lambda)$, G01MTF can be used.

4 References

Kölbig K S and Schorr B (1984) A program package for the Landau distribution *Comp. Phys. Comm.* **31** 97–111

5 Parameters

1: X - double precision

Input

On entry: the argument λ of the function.

6 Error Indicators and Warnings

There are no failure exits from this routine.

7 Accuracy

At least 7 significant digits are usually correct, but occasionally only 6. Such accuracy is normally considered to be adequate for applications in experimental physics.

Because of the asymptotic behaviour of $\phi'(\lambda)$, which is of the order of $\exp[-\exp(-\lambda)]$, underflow may occur on some machines when λ is moderately large and negative.

8 Further Comments

None.

[NP3657/21] G01RTF.1

9 Example

The example program evaluates $\phi'(\lambda)$ at $\lambda = 0.5$, and prints the results.

9.1 Program Text

Note: the listing of the example program presented below uses **bold italicised** terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
G01RTF Example Program Text
      Mark 21 Release. NAG Copyright 2004.
      .. Parameters ..
      INTEGER
                       NIN, NOUT
      PARAMETER
                       (NIN=5, NOUT=6)
      .. Local Scalars ..
      DOUBLE PRECISION X, Y
      .. External Functions ..
      DOUBLE PRECISION GO1RTF
      EXTERNAL
                       G01RTF
      .. Executable Statements ..
      WRITE (NOUT,*) 'GO1RTF Example Program Results'
      Skip heading in data file
      READ (NIN, *)
      WRITE (NOUT, *)
      WRITE (NOUT,*) ' X
                                    Υ'
      WRITE (NOUT, *)
   20 READ (NIN, \star, END=40) X
      Compute the value of the derivative of the Landau density function
      Y = GO1RTF(X)
      WRITE (NOUT, 99999) X, Y
      GO TO 20
   40 STOP
99999 FORMAT (1X,F4.1,3X,1P,D12.4)
      END
```

9.2 Program Data

```
GO1RTF Example Program Data
    0.5 : Value of X
```

9.3 Program Results

```
GO1RTF Example Program Results

X Y

0.5 -3.6034D-02
```

G01RTF.2 (last) [NP3657/21]